## Application No. 64/2012(T<sub>HC</sub>)

## Vajubhai Arsibhai Dodiya & Ors. V/s Gujarat PCB & Ors.

CORAM: HON'BLE SHRI JUSTICE V. R. KINGAONKAR, JUDICIAL MEMBER HON'BLE DR. G.K. PANDEY, EXPERT MEMBER HON'BLE PROF. A.R. YOUSUF, EXPERT MEMBER HON'BLE SHRI B.S. SAJWAN, EXPERT MEMBER HON'BLE DR. R.C. TRIVEDI, EXPERT MEMBER

Applicant / Appellant: Ms. Parul Gupta, Adv.Respondents No. 1,2,3,4& 6: Mr. S. Panda, Adv. For Ms. Hemantika WahiRespondent No. 5: Mr. Chetan Sharma (Sr. Adv.) along with<br/>Mr. Sharan Thakur, Adv.

Orders of the Tribunal
We have heard Learned Counsel for the parties.
Ms. Parul Gupta, Learned Counsel for the applicant submits
that she seeks time to give response to the affidavit and regarding
correctness of the map which is filed by Gujarat Ambuja Cement Ltd.
We grant two weeks time for giving response.
In the meanwhile, we also direct the Gujarat Ambuja Cement
Ltd. to obtain authentic data from the Indian Metrology Department
in the context of wind direction, the spell of impact thereof and other
details. We further direct Gujarat Ambuja Cement Ltd. to place on
record the data relevant pertaining to the fuel that was used in the
relevant evening prior to the accident in question as well as
immediate steps which were taken in order to verify the area covered in the wind direction which had faced the spreading of the
emission from the chimney including the particulate matter etc.
We direct the Gujarat Pollution Control Board that the
concerned Pollution Control Board's officer who gave the direction to
parties to settle claims outside without doing any spread work shall
also remain present and file an affidavit as to why immediate action
was not taken and shall place on record the relevant material. He
shall come prepared pertaining to the compliance and the enquiry.
As per the request fo the Learned Counsel for the Gujarat
Ambuja Cement Ltd, leave granted to substitute the list of the
affected farmers/claimants.

