BEFORE THE NATIONAL GREEN TRIBUNAL, PRINCIPAL BENCH, NEW DELHI

M.A. NO. 692 OF 2013 & M.A. NO. 264 OF 2014

IN

Original Application No. 19(T_{HC}) of 2013

And

Original Application No. 27 (T_{HC}) of 2013

And

Original Application No. 43 (T_{HC}) of 2013

And

Original Application No. 44 (T_{HC}) of 2013

And

Original Application No. 54 (T_{HC}) of 2013

IN THE MATTER OF:

Court On Its Own Motion Vs. State of Punjab

And

Baldev Singh & Anr. Vs. State of Punjab & Ors.

And

Brig. H.S. Brar Vs. State of Punjab & Ors.

And

Dr. Sher Singh & Ors. Vs. State of Punjab & Ors.

And

Sampuram Singh Vs. State of Punjab & Ors.

CORAM: HON'BLE MR. JUSTICE SWATANTER KUMAR, CHAIRPERSON

HON'BLE MR. JUSTICE U.D. SALVI, JUDICIAL MEMBER

HON'BLE MR. DR. D.K. AGRAWAL, EXPERT MEMBER

HON'BLE MR. B.S. SAJWAN, EXPERT MEMBER HON'BLE DR. R.C. TRIVEDI, EXPERT MEMBER

Present: Amicus Curiae: Mr. Raj Panjwani, Sr. Advoate and Mr. Aagney

Sail, Advocate

Respondent Nos. 1&2: Mr. Anil Soni, AAG

Respondent No. 3&4: Mr. A. R. Takkar and Ms. Gurinderjit, Advocates

Applicant / Appellant : None present

Respondent No. 2 : Mr. A.R. Takkar, Adv. along with Ms.

(in Application No. Gurunjeet Singh, Adv.

43 & 27T_{HC}/2013)

Respondent No. 3 : Mr. A.R. Takkar, Adv. along with Ms.

(in Application No. Gurunjeet Singh, Adv.

44 & 54T_{HC})/2013)

Respondent No. 4 : Mr. T. S. Joseph, Adv.

(in Application No.

43(T_{HC})/2013)

Respondent No. 4 : Mr. Shubham Bhalla, Adv.

(in Application No. 44

& 54(T_{HC})/2013)

Respondent No. 8 : Mr. Tilak Raj, Advocate

(in Application No.

27(T_{HC})/2013)

Respondent No. 9 Mr. Narender Hooda and Mr. Devender Pratap Singh,

(in Application No. Advs. And Mr. Vineet Malik, Advs.

27(T_{HC})/2013)

Chandigarh PCC Mr. Shubham Bhalla., Adv.

(in Application No.

27(T_{HC})/2013)

Respondent No. 8: Mr. Raktim Gogoi, Advocate

In OA No. 54/2013

(THC)

Remarks Item No. 10 to 14 May 6, 2014 In furtherance to our order dated 26th March, 2014 Reports in relation to District Amritsar and District Ludhiana have been filed. It is pointed out that all Short-Term and Long-Term measures are being taken however, progress thereof is not very effective for lack of funds. The Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible himit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for excess in TDS in underground water samples analyzed.	Date and	Orders of the Tribunal
In furtherance to our order dated 26th March, 2014 Reports in relation to District Amritsar and District Ludhiana have been filed. It is pointed out that all Short- Term and Long-Term measures are being taken however, progress thereof is not very effective for lack of funds. The Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		
Reports in relation to District Amritsar and District Ludhiana have been filed. It is pointed out that all Short-Term and Long-Term measures are being taken however, progress thereof is not very effective for lack of funds. The Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		In furtherance to our order dated 26th March, 2014
Ludhiana have been filed. It is pointed out that all Short-Term and Long-Term measures are being taken however, progress thereof is not very effective for lack of funds. The Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Reports in relation to District Amritsar and District
Term and Long-Term measures are being taken however, progress thereof is not very effective for lack of funds. The Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Ludhiana have been filed. It is pointed out that all Short-
Funds are to be provided by the Ministry of Urban Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		_
Development, Govt. Of India, New Delhi, but despite the agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		progress thereof is not very effective for lack of funds. The
agreement to sanction the funds the funds have not been released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Funds are to be provided by the Ministry of Urban
released and the delay in releasing of funds would hamper the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Development, Govt. Of India, New Delhi, but despite the
the progress of the construction undertaken for controlling and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		agreement to sanction the funds the funds have not been
and remedying the contamination of under-ground water and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		released and the delay in releasing of funds would hamper
and for taking up remedial measures. Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		the progress of the construction undertaken for controlling
Consequently, we direct the issuance of Notice to the Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		and remedying the contamination of under-ground water
Ministry of Urban Development, Government of India at New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	100	and for taking up remedial measures.
New Delhi for bringing before the Tribunal the status with regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Consequently, we direct the issuance of Notice to the
regard to the release of funds for the Environmental Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Ministry of Urban Development, Government of India at
Protection as aforestated Notice be issued without process fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		New Delh <mark>i for bringing before th</mark> e Tribunal the status with
fee. The Commissioner of Municipal Corporation of Amritsar may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	11	regard to the release of funds for the Environmental
may also inform the Ministry of this order as well. Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Protection as aforestated Notice be issued without process
Further, it is pointed out that samples of the underground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		fee. T <mark>he Comm</mark> issioner of M <mark>unicipal C</mark> orporation of Amritsar
ground water were taken from Hoshiarpur for assessing the contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	V 1	may also inform the Ministry of this order as well.
contamination and the analysis showed that in five samples TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Further, it is pointed out that samples of the under-
TDS count was in excess of the standard parameters, while in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	19 W. Com	ground water were taken from Hoshiarpur for assessing the
in others within the permissible limit. However, the samples were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		contamination and the analysis showed that in five samples
were not tested for assessing the heavy metals concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	200	TDS count was in excess of the standard parameters, while
concentration therin. Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		in others within the permissible limit. However, the samples
Let Analysis Report giving the view of heavy metals contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for	- 3	were not tested for assessing the heavy metals
contamination, if any, in the underground water be filed before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		concentration therin.
before the Tribunal on the next date of hearing. Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Let Analysis Report giving the view of heavy metals
Learned Counsel appearing for the Pollution Control Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		contamination, if any, in the underground water be filed
Board states that they will continue to manage and oversee the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		before the Tribunal on the next date of hearing.
the operations of all the electro-plating units in the Districts of Amritsar and Ludhiana and will also state the causes for		Learned Counsel appearing for the Pollution Control
of Amritsar and Ludhiana and will also state the causes for		Board states that they will continue to manage and oversee
		the operations of all the electro-plating units in the Districts
excess in TDS in underground water samples analyzed.		of Amritsar and Ludhiana and will also state the causes for
		excess in TDS in underground water samples analyzed.

List the matter on 4th July, 2014.

M.A. NO. 264 OF 2014

A Senior Most Officer of the Corporation is exempted from personal appearance unless otherwise directed. Exemption prayed for granted.

M. A. NO. 264 of 2014 stands disposed of.

	(Swatanter Kumar)
	,JM (U.D. Salvi)
	,EM (Dr. D.K. Agrawal)
	(B.S. Sajwan)
4	"EM (Dr. R.C. Trivedi)